

FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6











FIG. 7



**FIG. 9A****FIG. 9B****FIG. 9C**



**FIG. 8**

**FIG. 10A** COMMAND FRAME FORMAT**FIG. 10B** ACK FRAME FORMAT



PARAMETER  
00h : NO ERROR  
OTHER : ERROR

**FIG. 10C**

FID ( FRAME IDENTIFIER )

**FIG. 10D**

CID ( COMMAND IDENTIFIER )



**FIG. 11A**

## INITIALIZATION REQUEST COMMAND

LENGTH	0 0 0 0 0 0 1 0	OCTET 1
FID	0 0 0 0 1 0 0 0	OCTET 2
CID	0 0 0 0 0 0 0 0	OCTET 3
REQUEST INITIALIZATION		

**FIG. 11B**

## INITIALIZATION RESPONSE

LENGTH	0 0 0 0 0 0 1 0	OCTET 1
FID	1 0 0 0 0 0 0 1	OCTET 2
CID	0 0 0 0 0 0 0 0	OCTET 3
RESPONSE INITIALIZATION DATA		
PARAMETER 1	CAMERA ATTRIBUTE OF PORT 1	OCTET 4
PARAMETER 2	CAMERA ATTRIBUTE OF PORT 2	OCTET 5

**FIG. 11C**

## CAMERA ATTRIBUTE ( PARAMETER 1 , PARAMETER 2 )

VALUE ( Hex )	CAMERA ATTRIBUTE
0 0	NOT CONNECTED
0 1	PANFOCUS 200,000-PIXEL CCD
0 2	PANFOCUS 400,000-PIXEL CCD
0 3	ZOOM 200,000-PIXEL CCD
0 4	ZOOM 400,000-PIXEL CCD

**FIG. 12A**

## CAMERA ATTRIBUTE REQUEST COMMAND

LENGTH	0	0	0	0	0	0	1	0	OCTET 1
FID	0	0	0	0	1	0	0	1	OCTET 2
CID	0	0	0	0	0	0	0	1	OCTET 3
REQUEST CAMERA ATTRIBUTE									

**FIG. 12B**

## CAMERA ATTRIBUTE RESPONSE

LENGTH	0 0 0 0 0 0 1 1	OCTET 1
FID	0 0 0 0 0 1 1 0	OCTET 2
CID	0 0 0 0 0 0 0 1	OCTET 3
	RESPONSE CAMERA ATTRIBUTE	
PARAMETER 1	CAMERA ATTRIBUTE	OCTET 4

FIG. 13A

PORT CHANGEOVER REQUEST COMMAND

LENGTH	0 0 0 0 0 0 1 1	OCTET 1
FID	0 0 0 0 1 0 0 0	OCTET 2
CID	0 0 0 0 0 0 1 0	OCTET 3
	REQUEST PORT CHANGEOVER	
PARAMETER 1	PORT NUMBER	OCTET 4

FIG. 13B

PORT CHANGEOVER RESPONSE ( SUCCESSFUL )

LENGTH	0 0 0 0 0 0 1 1	OCTET 1
FID	0 0 0 0 0 0 0 1	OCTET 2
CID	0 0 0 0 0 0 1 0	OCTET 3
	RESPONSE TO PORT CHANGEOVER	
PARAMETER 1	PORT NUMBER	OCTET 4

FIG. 13C

PORT CHANGEOVER RESPONSE ( UNSUCCESSFUL )

LENGTH	0 0 0 0 0 0 1 1	OCTET 1
FID	0 0 0 0 0 0 0 1	OCTET 2
CID	1 0 0 0 0 0 1 0	OCTET 3
	RESPONSE TO PORT CHANGEOVER	
PARAMETER 1	PORT NUMBER	OCTET 4


**FIG. 14**

FIG. 15




FIG. 16




FIG. 17




FIG. 18

